# J305P-AC DATA SHEET



**MODEL:** J305P-AC with Bayonet Cap

**VOLTAGE:** 6

**DIMENSIONS:** Inches (mm)

**BATTERY:** Flooded/wet lead-acid battery

COLOR: Maroon (case/cover)

**MATERIAL:** Polypropylene

Single-Point Watering Kit WATERING SYSTEM:



#### PRODUCT SPECIFICATIONS

BCI GROUP	ТҮРЕ	CAPACITY	<sup>A</sup> Minutes		CAPACITY <sup>B</sup> An	np-Hours (AH)		ENERGY (kWh)	TERMINAL	DIMENSIONS <sup>c</sup> Inches (mm)			WEIGHT lbs.
SIZE		@25 Amps	@75 Amps	5-Hr Rate	10-Hr Rate	20-Hr Rate	100-Hr Rate	100-Hr Rate	Type <sup>E</sup>	Length	Width	Height <sup>D</sup>	(kg)
	6 VOLT DEEP CYCLE BATTERY - with T2 TECHNOLOGY™												
902	J305P-AC*	711	195	271	304	330	367	2.20	6	11.66 (296)	6.94 (176)	14.42 (366)	96 (44)

- A. The number of minutes a battery can deliver when discharged at a constant rate at 80°F (27°C) and maintain a voltage above 1.75 V/cell. Capacities are based on peak performance.
- B. The amount of amp-hours (AH) a battery can deliver when discharged at a constant rate at 80°F (27°C) for the 20-Hour and 100-Hour rates and 86°F (30°C) for the 5-Hour rate and maintain a voltage above 1.75 V/cell. Capacities are based on peak performance.
- $Dimensions \ are \ based \ on \ nominal \ size. \ Dimensions \ may \ vary \ depending \ on \ type \ of \ handle \ or \ terminal.$
- D. Dimensions taken from bottom of the battery to the highest point on the battery. Heights may vary depending on type of terminal.
- E. Terminal images are representative only.
- Trojan's battery testing procedures adhere to both BCI and IEC test standards.

## **CHARGING INSTRUCTIONS**

CHARGE	CHARGER VOLTAGE SETTINGS (AT 77°F/25°C)							
System Voltage	6V	12V	24V	36V	48V			
Absorption Charge	7.40	14.8	29.6	44.4	59.2			
Float Charge	6.60	13.2	26.4	39.6	52.8			
Equalize Charge	7.75	15.5	31.0	46.5	62.0			

Do not install or charge batteries in a sealed or non-ventilated compartment. Constant under or overcharging will damage the battery and shorten its life as with any battery.


#### CHARGING TEMPERATURE COMPENSATION

.028 VPC for every 10°F (5.55°C) above or below 77°F (25°C) (add .028 VPC for every 10°F (5.55°C) below 77°F and subtract .028 VPC for every 10°C above 77°F).

#### **OPERATIONAL DATA**

	Operating Temperature	Self Discharge			
- 1	-4°F to 113°F (-20°C to +45°C). At temperatures below 32°F (0°C) maintain a state of charge greater than 60%.	5 – 15% per month depending on storage temperature conditions.			


### **TERMINAL CONFIGURATIONS**





\* Polyon™ Case



## **BATTERY DIMENSIONS** (shown with DT)









## TROJAN J305P-AC PERFORMANCE

## PERCENT CAPACITY VS. TEMPERATURE





TROJAN BATTERY COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV =ISO 9001:2008 =



Trojan batteries are available worldwide through Trojan's Master Distributor Network. We offer outstanding technical support, provided by full-time application engineers.

For a Trojan Master Distributor near you, call 800.423.6569 or + 1.562.236.3000 or visit www.trojanbattery.com

12380 Clark Street, Santa Fe Springs, CA 90670 • USA